

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6 : A01K 67/027, C12N 5/06, 5/10	A1	(11) International Publication Number: WO 99/53751 (43) International Publication Date: 28 October 1999 (28.10.99)
(21) International Application Number: PCT/EP99/02624 (22) International Filing Date: 19 April 1999 (19.04.99) (30) Priority Data: 9808325.6 20 April 1998 (20.04.98) GB (71) Applicant (for all designated States except US): CONSORZIO INCREMENTO ZOOTECHNICO S.R.L. [IT/IT]; Via Porcellasco, 7-f, I-26100 Cremona (IT). (72) Inventors; and (75) Inventors/Applicants (for US only): GALLI, Cesare [IT/IT]; Via Persico, 191/G, I-26100 Cremona (IT). LAZZARI, Giovanna [IT/IT]; Via Persico, 191/G, I-26100 Cremona (IT). (74) Agent: WAKERLEY, Helen, Rachael; Reddie & Grose, 16 Theobalds Road, London WC1X 8PL (GB).		(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
(54) Title: SOURCE OF NUCLEI FOR NUCLEAR TRANSFER (57) Abstract The reconstruction of a mammalian embryo uses lymphocytes as the source of donor nuclei. The recipient may be an enucleated oocyte. The embryo so prepared may be brought to term, used in recloning techniques or used to prepare embryonic stem cell lines.		

Abstract

The reconstruction of a mammalian embryo uses lymphocytes as the source of donor nuclei. The recipient may be an enucleated oocyte. The embryo so prepared may be brought to term, used in recloning techniques or used to prepare embryonic stem cell lines.